

Records from Dawlish Warren based upon confirmed sightings in the period from 1982-1995 *continued*.

GEOMETRIDAE

- 1663 *Alsophila aescularia* D. & S. March Moth
Common resident; larva feeds on a wide variety of deciduous trees.
- 1665 *Pseudoterpna pruinata* Hufn. Grass Emerald
Common resident; larva feeds on Gorse, Broom and Petty-whin.
- 1666 *Geometra papilionaria* Linn. Large Emerald
Common resident; larva feeds on Birch and occasionally other trees.
- 1669 *Hemithea aestivaria* Hb. Common Emerald
Common resident; larva feeds on a variety of trees and shrubs including Hawthorn, Blackthorn, Birch and Sallow.
- 1673 *Hemistola chrysoprasaria* Esp. Small Emerald
Common resident; larva feeds on Travellers Joy.
- 1674 *Jodis lactearia* Linn. Little Emerald
Common resident; larva feeds on Birch, Hawthorn and Bilberry.
- 1679 *Cyclophora porata* Linn. False Mocha
- 1682 *Timandra griseata* Peters. Blood Vein
Common resident; larva feeds on Dock, Sorrel and Knotgrass.
- 1689 *Scopula mariginepunctata* Goeze, Mullein Wave
Occurring throughout southern England. Recorded by David C.G. Brown in July 1989; larva feeds on Mugwort, Yarrow, Plantain and other low-growing plants.
- 1690 *S. imitaria* Hb. Small Blood-vein
Common resident; larva feeds on Privet and a variety of low-growing plants.
- 1692 *S. immutata* Linn. Lesser Cream Wave
Widespread, but local, throughout the British Isles; larva feeds on Meadowsweet and Common Valerian.
- 1702 *Idaea biselata* Hufn. Small Fan-footed Wave
Common resident; larva feeds on Bramble, Dandelion and a variety of low-growing plants; prefers shrivelled foliage.
- 1705 *I. fuscovenosa* Goeze, Dwarf-cream Wave
Common resident; larva feeds on Bramble and Dandelion.
- 1708 *I. dimidiata* Hufn. Single-dotted Wave
Local in south-west England and several seen on the Warren; larva feeds on Cow Parsley and Burnet Saxifrage.
- 1709 *I. subsericeata* Haw. Satin Wave
Moderately common resident: larva feeds on Dandelion, Knotgrass and Plantain.
- 1712 *I. emarginata* Linn. Small Scallop
Locally widespread but few seen on the Warren; larva feeds on Bedstraw and other low-growing plants; prefers shrivelled foliage.

- 1713 *I. aversata* Linn. Riband Wave
Common resident; larva feeds on Bedstraw, Chickweed and Knotgrass.
- 1716 *Rhodometra sacraria* Linn. The Vestal
A regular migrant species which breeds when conditions permit; larva feeds on Dock and Knotgrass.
- 1719 *Orthonama obstipata* Fab. The Gem
A migrant species which breeds when conditions permit; larva feeds on a variety of garden weeds.
- 1722 *Xanthorhoe designata* Hufn. Flame Carpet
Found, not uncommonly, throughout the British Isles; larva feeds on Cruciferae.
- 1724 *X. spadicearia* D. & S. Red Twin-spot Carpet
Common resident; larva feeds on Bedstraw and other low plants.
- 1725 *X. ferrugata* Cl. Dark-barred Twin-spot Carpet
Generally distributed and several seen on the Warren; larva feeds on unspecified low-growing plants.
- 1727 *X. montanata* D. & S. Silver-ground Carpet
Common resident; larva feeds on Bedstraw and *Primula* ssp.
- 1728 *X. fluctuata* Linn. Garden Carpet
Common resident; larva feeds on Cruciferae ssp.
- 1732 *Scotopteryx chenopodiata* Linn. Shaded Broad-bar
Moderately common throughout the British Isles; larva feeds on vetches and clovers.
- 1735 *Catarhoe rubidata* D. & S. Ruddy Carpet
A thinly spread species that has occurred in Teignmouth; larva feeds on Hedge and Lady's Bedstraw. Recorded 28.6.1995.
- 1736 *C. cuculata* Hufn. Royal Mantle
Locally common but few seen on the Warren; larva feeds on Bedstraws.
- 1738 *Epirrhoe alternata* Mull. Common Carpet
Common resident; larva feeds on Bedstraws including Cleavers.
- 1740 *Epirrhoe galiata* D. & S. Galium Carpet
Locally common resident and several seen on the Warren; larva feeds on Bedstraws.
- 1742 *Camptogramma bilineata* Linn. Yellow Shell
Common resident; larva feeds on Dock, Chickweed, and other low-growing plants.
- 1746 *Anticlea badiata* D. & S. Shoulder Stripe
Found most frequently in the southern half of England; larva feeds on Wild Rose.

- 1747 *A. derivata* D. & S. The Streamer
Widespread southern England resident, a single specimen only seen of the Warren; larva feeds on Wild Rose.
- 1752 *Cosmorhoe ocellata* Linn. Purple Bar
Common resident; larva feeds on Bedstraws.
- 1754 *Eulithis prunata* Linn. The Phoenix
Local species but found in good numbers on the Warren; larva feeds on Black and Red Currant, also Gooseberry.
- 1758 *E. pyraliata* D. & S. Barred Straw
Moderately common resident and several seen on the Warren; larva feeds on Sallow, Creeping Willow and Birch.
- 1759 *Ecliptopera silaceata* D. & S. Small Phoenix
Found commonly throughout England and Wales; larva feeds on various species of Willowherb.
- 1760 *Chloroclysta siterata* Hufn. Red-green Carpet
Local species and few seen on the Warren; larva feeds on Oak, Rowan and other deciduous trees.
- 1762 *C. citrata* Linn. Dark Marbled Carpet
Rather local in southern England, otherwise widespread and moderately common throughout the British Isles. Recorded by Mr & Mrs Normand in June 1984 with a voucher specimen to support: larva found on Sallow, Birch, Bilberry and Wild Strawberry.
- 1764 *C. truncata* Hufn. Common-marbled Carpet
Common resident; larva feeds on a variety of trees and shrubs.
- 1765 *Cidaria fulvata* Forst. Barred Yellow
Common resident; larva feeds on Wild Rose.
- 1766 *Pleymria rubiginata* D. & S. Blue-bordered carpet
Widespread and locally common throughout England, Wales and Ireland; larva feeds on Alder and Blackthorn. Recorded 4.7.1995.
- 1768 *Thera obeliscata* Hb. Grey-pine Carpet
Common resident and several seen on the Warren; larva feeds on Pine and other conifers.
- 1769 *T. britannica* Turn. Spruce Carpet
Common resident and several seen on the Warren; larva feeds on Spruce and other species of Picea.
- 1774 *Colostygia olivata* D. & S. Beech-green Carpet
Recorded by Mr & Mrs Normand in August 1992. Very local in southern England and most frequently seen along the coast of Devon and Dorset; larva feeds on Bedstraw.
- 1776 *C. pectinataria* Knoch, Green Carpet
Common resident; larva feeds on Bedstraws.
- 1777 *Hydriomena furcata* Thunb. July Highflyer
Common resident; larva feeds on Sallows.

- 1778 *H. impluviata* D. & S. May Highflyer
Locally widespread; larva feeds on Alder.
- 1779 *H. ruberata* Freyer, Ruddy Highflyer
Local and infrequent in south-west, one seen on the Warren, and specimen taken for identification; larva feeds on Sallows especially *S. aurita*.
- 1781 *Horisme vitalbata* D. & S. Small Waved Umber
Mostly found on chalky soils but suspected to be breeding on the Warren; larva feeds on Travellers Joy.
- 1789 *Hydriomena undulata* Linn. Scallop Shell
Locally widespread in England, Wales and southern Scotland, has been taken in Devon. specimen recorded by Mr & Mrs Normand; larva feeds on Sallow, Aspen and Bilberry.
- 1792 *Philemera transversata* Hufn. Dark Umber
Widespread and generally common in the southern half of England. Recorded by Mr D. Brown in August 1982, although the specimen was not retained; larva feeds on Buckthorn.
- 1796 *Epirrita christyi* Allen. Pale November Moth
Widespread and locally common resident; adults can only be reliably identified by examination of the genitalia, but larvae of this species have been taken on the Warren; larva feeds on Maple, Blackthorn, Hawthorn and several other species.
- 1799 *Operophtera brumata* Linn. Winter Moth
Common resident which was at pest proportions during 1994; larva feeds on a wide variety of trees and shrubs; on the Warren it feeds mainly on the Sallows.
- 1803 *Perizoma alchemillata* Linn. Small Rivulet
Generally distributed and moderately common throughout the British Isles; larva feeds on the flowers and seeds of Hemp Nettle.
- 1808 *P. flavofasciata* Thunb. Sandy Carpet
Generally distributed resident although not many seen; larva feeds on seed pods of Campions.
- 1811 *Eupithecia tenuiata* Hb. Slender Pug
Locally common and a few seen on the Warren; larva feeds on Sallow catkins.
- 1813 *E. haworthiata* Doubl. Haworth's Pug
Locally widespread and breeding on the Warren; larva feeds on Travellers Joy.
- 1816 *E. linariata* D. & S. Toadflax Pug
Widely distributed and locally common in England and Wales; larva feeds on Common Toadflax.
- 1825 *E. centaureata* D. & S. Lime-speck Pug
Common resident; larva feeds on the flowers of many herbaceous plants.

- 1830 *E. absinthiata* Cl. Wormwood Pug
Widespread resident but few specimens seen at the Warren; larva feeds on flowers of Mugwort, Golden-rod, Ragwort and many others.
- 1833 *E. expallidata* Doubl. Bleached Pug
Local in southern England and only one seen on the Warren; larva feeds on the flowers of Golden-rod.
- 1834 *E. vulgata* Haw. Common Pug
Common resident; larva feeds on Sallow, Hawthorn, Yarrow and Bilberry.
- 1837 *E. subfuscata* Haw. Grey Pug
Common resident; larva feeds on the flowers and leaves of a wide variety of trees and shrubs.
- 1838 *E. icterata* Vill. Tawny-speck Pug
Common resident although not many seen; larva feeds on the leaves and flowers of Yarrow.
- 1839 *E. succenturiata* Linn. Bordered Pug
Widespread and common in the southern half of England; larva feeds on Mugwort.
- 1846 *E. nanata* ssp. *angusta* Prout. Narrow-wing Pug
Common resident; larva feeds on flowers of Heather.
- 1855 *E. phoeniceata* Ramb. Cypress Pug
This species first appeared in Cornwall in 1959 and has since spread eastwards along the coast; larva feeds on Cypress.
- 1858 *Chloroclystis v-ata* Haw. V-Pug
Common resident; larva feeds on the flowers of a wide variety of plants.
- 1860 *C. rectangulata* Linn. Green Pug
Common resident; larva feeds on the flowers of wild and cultivated Apple and Pear.
- 1862 *Gymnoscelis rufifasciata* Haw. Double-striped Pug
Common resident; larva feeds on the flowers of a wide variety of plants including Gorse, Broom, Ragwort and Heathers.
- 1866 *Chesias legatella* D. & S. The Streak
Generally distributed but only one confirmed specimen seen on the Warren in 1994; larva feeds on Broom and Tree Lupin.
- 1874 *Euchoeca nebulata* Scop. Dingy Shell
Locally widespread and only a few seen on the Warren; larva feeds on Alder.
- 1879 *Lobophora halterata* Hufn. The Seraphim
Well established in the southern half of Britain; larva feeds on Aspen and, occasionally, Poplar.
- 1881 *Trichopteryx carpinata* Borkh. Early Tooth-striped
Common resident; larva feeds on Honeysuckle, Sallow, Birch and Alder.

- 1882 *Pterapherapteryx sexalata* Retz. Small Seraphim
Common resident; larva feeds on Sallow.
- 1883 *Acasis viretata* Hb. Yellow-barred Brindle
Widespread but not common, few seen on the Warren; larva feeds on the flowers and leaves of Holly, Ivy, Wild Privet and Dogwood.
- 1884 *Abraxas grossulariata* Linn. The Magpie
Common resident, larva feeds on Currant, Gooseberry, Hawthorn and other plants and shrubs.
- 1887 *Lomaspilis marginata* Linn. Clouded Border
Common resident; larva feeds on Sallow and Aspen.
- 1890 *Semiothisa alternaria* Hb. Sharp-angled Peacock
Common resident; larva feeds on Sallow, Blackthorn, Alder and Sea Buckthorn.
- 1893 *S. liturata* Cl. Tawny-barred Angle
Common resident although usually in conifer areas; only one or two seen at the Warren; larva feeds on Scots Pine and Spruce.
- 1902 *Petrophora chlorosata* Scop. Brown Silver-lines
Common resident; larva feeds on Bracken.
- 1906 *Opisthograptis luteolata* Linn. Brimstone Moth
Common resident; larva feeds on a variety of trees and bushes.
- 1907 *Epione repandaria* Hufn. Bordered Beauty
Widespread and locally common; only two or three seen at the Warren; larva feeds on Sallow.
- 1910 *Apeira syringaria* Linn. Lilac Beauty
Locally widespread but only one seen at the Warren; Larva feeds on Honeysuckle and Wild Privet.
- 1912 *Ennomos quercinaria* Hufn. August Thorn
Locally widespread in England. Identified by Mr & Mrs Normand in July 1983 and by other recorders in 1982 and 1986; larva feeds on a variety of trees and shrubs.
- 1913 *E. alniaria* Linn. Canary-shouldered Thorn
Common resident; larva feeds on Birch and other trees.
- 1915 *E. erosaria* D. & S. September Thorn
Generally distributed and moderately common in the southern half of England and Wales. Identified by Mr D. Brown in July 1989 and by other recorders in 1983; larva feeds on Oak, Lime and Birch.
- 1917 *Selenia dentaria* Fabr. Early Thorn
Common resident; larva feeds on a variety of trees and shrubs.
- 1919 *S. tetralunaria* Hufn. Purple Thorn
Usually common but only two seen on the Warren; larva feeds on Birch, Oak, Alder and other trees.
- 1920 *Odontopera bidentata* Cl. Scalloped Hazel
Common resident although few recorded at the Warren; larva feeds on Oak, Birch, Garden Privet and other trees including conifers.

- 1921 *Crocallis elinguaris* Linn. Scalloped Oak
Common resident although few recorded at the Warren; larva feeds on a wide variety of trees and shrubs.
- 1922 *Ourapteryx sambucaria* Linn. Swallow-tailed Moth
Common resident; larva feeds on Ivy and a variety of trees and shrubs.
- 1923 *Colotois pennaria* Linn. Feathered Thorn
Common resident but one female seen on the the Warren; larva feeds on various trees and shrubs including Hawthorn, Birch and Blackthorn.
- 1931 *Biston betularia* Linn. Peppered Moth
Common resident; larva feeds on a wide variety of trees, shrubs and plants.
- 1933 *Agriopis aurantiaria* Hb. Scarce Umber
Generally distributed and moderately common in England and Wales; larva feeds on a variety of trees.
- 1936 *Menophora abruptaria* Thunb. Waved Umber
Widespread and not uncommon in the southern half of England and Wales; larva feeds on garden Privet and Lilac.
- 1937 *Peribatodes rhomboidaria* D. & S. Willow Beauty
Common resident; larva feeds on a wide variety of trees and shrubs including Gorse, Hawthorn and Birch.
- 1941 *Alcis repandata* Linn. Mottled Beauty
Common resident; larva feeds on Birch, Bilberry, Bramble and many other plants.
- 1945 *Cleorodes lichenaria* Hufn. Brussels Lace
Widespread and locally common in south-west England; two or three seen on the Warren; larva feeds on Lichens growing on Oak, Blackthorn and old fences.
- 1947 *Ectropis bistortata* Goeze, Engrailed
Found more or less commonly throughout the British Isles. Recorded by Mr & Mrs Normand in July 1982 and 1984, and also by other recorders; larva feeds on a variety of trees and shrubs.
- 1948 *E. crepuscularia* D. & S. Small Engrailed
Locally widespread in England, Wales and Ireland. Recorded by Mr & Mrs Normand in June 1984 and also by other recorders; larva feeds on a variety of trees and shrubs.
- 1955 *Cabera pusaria* Linn. Common White-wave
Common resident; larva feeds on Birch, Sallow, Alder, Oak and other trees and shrubs.
- 1956 *C. exanthemata* Scop. Common Wave
Common resident; larva feeds on Sallow and Aspen.
- 1958 *Lomographa temerata* D. & S. Clouded Silver
Common resident; larva feeds on Hawthorn, Blackthorn and other *Prunus* ssp.

- 1961 *Campaea margaritata* Linn. Light Emerald
Common resident; larva feeds on Oak, Birch and many other trees and shrubs.
- 1962 *Hylaea fasciaria* Linn. Barred Red
Widespread and not uncommon throughout the British Isles. Identified by Mr & Mrs Normand in July 1983; larva feeds on Scots Pine, Norway Spruce and probably other Conifers.
- 1968 *Aspitates ochrearia* Rossi, Yellow Belle
Widespread and locally common, few found on the Warren; larva feeds on Wild Carrot, Buck's-horn Plantain and probably other low plants.

SPHINGIDAE

- 1972 *Agrius convolvuli* Linn. Convolvulous Hawk
A migrant species which occasionally arrives in some numbers; a specimen found dead in 1990 at the Warren; larva feeds on Convolvulaceae and Field Bindweed.
- 1980 *Smerinthus ocellata* Linn. Eyed Hawk
Common resident; larva feeds on Willows and Sallows.
- 1981 *Laothoe populi* Linn. Poplar Hawk
Common resident; larva feeds on Poplar, Sallow and Willow.
- 1984 *Macroglossum stellatarum* Linn. Humming-bird Hawk
A migrant species which flies by day feeding in brilliant sunlight; seen on the Warren in 1994 by the Wardens; larva feeds on Hedge and Lady's Bedstraw.
- 1991 *Deilephila elpenor* Linn. Elephant Hawk
Common resident; larva feeds on Willow Herb and Bedstraw.
- 1992 *D. porcellus* Linn. Small Elephant Hawk
Widely distributed but rarely common; only two seen on the Warren; larva feeds on Bedstraw.

NOTODONTIDAE

- 1994 *Phalara bucephala* Linn. Buff Tip
Common resident; larva feeds on Sycamore, Sallow, Oak and many other deciduous trees.
- 1997 *Furcula furcula* Cl. Sallow Kitten
Generally common resident but only a few seen on the Warren; larva feeds on Sallow, Aspen and occasionally Poplar.
- 2000 *Notodonta dromedarius* Linn. Iron Prominent
Common Resident; larva feeds on Birch, Alder, Hazel and Oak.
- 2003 *Eligmodonta ziczac* Linn. Pebble Prominent
Common resident; larva feeds on Sallow, Willow, Aspen and Poplar.
- 2005 *Peridea anceps* Goeze. Great Prominent
Widely distributed in the southern half of England. Recorded by Mr and Mrs Normand in May 1983; larva feeds on Oak and occasionally Beech.